



# **Shoulder Arthroscopy**

# **Post-Operative Instructions**

## **Post Operative Prescribed Medications:**

- Aspirin: Take as prescribed for 30 days after surgery
- Norco: Take 1-2 tablets every 4-6 hours as needed for pain.

\*Please note: medications may vary based off your current mediction list. These variations will be discussed during your pre-operative phone consultation with a PA.\*

# **Physical Therapy:**

- Begin 2 weeks following surgery. <u>Bring</u> protocol and order provided on surgery day to initial PT visit.
- Attend PT 2-3 times per week for the first 2-3 months after surgery
- Expect to be in PT for 4-6 months following surgery.

#### **First Post-op Clinic Appointment:**

• Your first post-op clinic visit will be 10-14 days after surgery.

#### Smoking, marijuana, and surgery:

- Dr. Chahla has a <u>NO NICOTINE</u> policy for surgical patients.
- For your safety and to promote successful outcomes, we recommend sustaining from marijuana use for 4 weeks post op. This includes oral, topical, and inhalation.

### **Duration of Sling:**

• You will be required to wear the sling at all times for 4 weeks post-op.

#### **Dressings and Showering:**

- Remove tape and padded dressings on post op day 3.
- Please leave the steri-strips on until initial post-op appointment with one of Dr. Chahla's PAs.
- Do not shower until post op day 3. Beginning post op day 3, you can shower while keeping the incisions covered and dry. Do not submerge the incisions or use topical ointment for at least 4 weeks after surgery or until insicion is fully healed.

### **Return to Driving:**

 You can return to driving once the sling has been discontinued and you feel that you can safely control a steering wheel and gear shift. This is typically around 4-6 weeks post op.

### Return to Work/School:

 You can expect to return to desk work and/or school about 4-7 days after surgery if you are able to continue to wear your sling while doing so.

#### Scan here to learn more about Shoulder Injuries

